

Project No./Contract No.	Project Title / Location	Day of Report	Report No.
6389	BRC Eastside Common Areas Soils Remediation	16-Aug-09	397

Position	Name	E-Mail Address	Phone No.
BRC PROJECT MANAGER	Lee Farris	<a href="mailto:lfarris@landwellco.com">lfarris@landwellco.com</a>	702-567-0400
BRC PROJECT MANAGER	Ranjait Sahu	<a href="mailto:sahuraj@earthlink.net">sahuraj@earthlink.net</a>	702-567-0400
CONST. PROJECT MANAGER	Dan Brennecke	<a href="mailto:Dan.Brennecke@westonsolutions.com">Dan.Brennecke@westonsolutions.com</a>	970-260-5886
Construction Manager	Richard L Aubinger	<a href="mailto:Richard.L.aubinger@westonsolution.net">Richard.L.aubinger@westonsolution.net</a>	720-641-8660

Conditions		Temp (°F)	Wind	Add'l Readings	
AM	Sunny / Party Cloudy	PM	Sunny / Party Cloudy	Low 70	Precip. (in/hr)
				High 101	Humidity (%)
Additional Weather Comments:				SW 7 mph	0

[illegible]

Name	Position	Trade / Work Performed	Y/N
Greg Corcoran	Design Engineer	Oversight	N
Dan Street	QA Manager	Oversight	N
Jim Cox	QA/QC Supervisor	Oversight	N
Rebecca Flynn	Engineer	Oversight	N
Stuart Irwin	QA/QC Tech	Oversight	N
Roland Derosier	QA/QC Tech	Oversight	N
Camron Liddell	QA/QC Tech	Oversight	Y
Victor Heredia	QA/QC Tech	Oversight	N
Keith Schratte	QA/QC Tech	Oversight	N

[illegible]

Name	Position	Trade / Work Performed	Y/N
Bob Meyer, ASW	Inspector	Linear Inspector,	N
Devin Gordon, MGA	Oversight	For NDEP	N
Dock Kim, ATC	Field Observation	For AIG	N
Brian Ralvica	Inspector	NDEP	N
Steve Morrow, ASW	Inspector	Linear Inspector	N
PBS&J, Survey	Surveyors	Survey	N

[illegible]

Equipment	Vendor / Tag No.	Work Performed			
CAT D400E Dump Truck (10)		CAMU	-	-	-
JD D400 Dump Trucks (10)		Eastside	-	-	-
CAT 324D long stick excavator		Eastside	-	-	-
CAT D8R Dozer with disc, (1)		Eastside	-	-	-
CAT 345 excavators, (8)		Eastside and CAMU, Western Hook	-	-	-
CAT 330 Excavator (1)		CAMU	-	-	-
CAT 365 Excavator (1)		CAMU	-	-	-
CAT D6 LGP Dozer (1)		Eastside	-	-	-
Water Trucks (3)		Eastside	-	-	-
Case backhoe		CAMU	-	-	-
CAT 16H Grader		CAMU	-	-	-
CAT D8 Dozer		Eastside	-	-	-
Water Trucks (4)		CAMU	-	-	-
CAT D-6 Dozer, (3)		CAMU	-	-	-
CAT 14H Grader		CAMU	-	-	-
Grashtail, forklift		CAMU	-	-	-
JLG		CAMU	-	-	-
Smooth drum Rollers, (3)		CAMU	-	-	-
Tenest Street Sweeper		Eastside and CAMU	-	-	-
Komatsu Loader		CAMU, Phase 1	-	-	-
Cherlain 1400 Powerscreener		CAMU	-	-	-

Material	Vendor	Today	UOM	Purpose	Delivery Verification			
					to date	Qty	Spec	Tags
GCL	CETCO	0	rolls	For CAMU, On site		2271		
Geocomposite	Agru	0	rolls	For CAMU, On site		2442		
Geomembrane	Agru	0	rolls	For CAMU, On site		558		

© 2006 The Authors  
Journal compilation © 2006 Blackwell Publishing Ltd

## Ver 1.1 11/07

DAILY PRODUCTION & QUALITY CONTROL REPORT			
Project No./Contract No.	Project Title / Location	Day of Report	Report No.
6389	BRC Eastside Common Areas Soils Remediation	16-Aug-09	397

<b>CAMU Activity:</b>
<b>- Day Shift</b>
- No Activity.
<b>- Night Shift</b>
- Placed material in Phase I, Phase II and Phase IV.
<b>Embankment</b>
- Phase I embankment, complete.
- Phase I estimated cumulative embankment placed:
- Phase II embankment , complete.
<b>Sump/Vadose Monitoring:</b> Phase I: LCRS Sump: Measurement taken: (N/A) Water Pumped : (N/A). Vadose: Measurement taken: (N/A) Water Pumped: (N/A).
Phase II: LCRS Sump: Measurement taken: (N/A) Water Pumped: (N/A). Vadose: Measurement taken: (N/A) Water pumped: (N/A).
Phase IIIB: LCRS Sump: Measurement taken: (N/A) Water Pumped: (N/A) Vadose: Measurement taken: (N/A) Water Pumped: (N/A)
<b>Inspections:</b> CAMU: N/A.
Eastside: Inspected perimeter fence: N/A.

**Estimated Waste Placement (Estimated volumes do not account for shrinkage due to loss of moisture on wet ponds)**

<b>Phase I</b>	
Previous Daily Cumulative =	292,422 cy
Operations layer placed (completed) for liner certification. = 21,662	0 cy
Daily Day shift waste placed today: Phase IV,V scape & Phase IIIB trench excavation. 0 loads @ 20 cy/load (0 trucks) =	0 cy
Daily Night shift placed today: (75) loads @ 18cy/load (7) trucks =	1,350 cy
<b>To Date Phase I estimated cumulative waste placed =</b>	<b>293,772 cy</b>
<b>Phase II</b>	
Previous Daily Cumulative =	847,306 cy
Operations layer placed (completed) for liner certification. = 37,188	0 cy
Daily Day shift waste placed today: From Western Hook (0) loads @ 18 cy/load (0) trucks =	0 cy
Daily Day shift waste placed today: Slit Trenches, (0) loads @ 18cy/load (0) trucks =	0 cy
Daily Night shift placed today: (96) loads @ 18cy/load (12) trucks =	1,728 cy
<b>To Date Phase II estimated cumulative waste placed =</b>	<b>849,034 cy</b>
<b>Phase IIIA</b>	
Previous Daily Cumulative =	222,174 cy
Operations layer placed directly in Phase IIIA today: (0) loads @ 18 cy/load (0) trucks =	0 cy
Operations layer placed (completed for liner certification = 21,276)	0 cy
Daily Day shift waste placed today: From Phase IIIB. (0) loads @ 18 cy/load (0) trucks =	0 cy
Daily Night shift waste placed today: (0) loads @ 18cy/load (0) trucks =	0 cy
<b>To Date Phase IIIA estimated cumulative waste placed =</b>	<b>222,174 cy</b>
<b>Phase IIIB</b>	
Previous Daily Cumulative =	169,758 cy
Operations layer placed (completed) for liner certification. = 21,978	0 cy
Daily Day shift waste placed today: (0) loads @ 18 cy/load (0) trucks =	0 cy
Daily Night shift waste placed today: (0) loads @ 18cy/load (0) trucks =	0 cy
<b>To Date Phase IIIB estimated cumulative waste placed =</b>	<b>169,758 cy</b>
<b>Phase IV</b>	
Previous Daily Cumulative =	51,894 cy
Operations layer placed (completed) for liner certification = 37,314	0 cy
Daily Day shift waste placed today: From ?? (0) loads @ 18 cy/load (0) trucks =	0 cy
Daily Night shift waste placed today: (189) loads @ 18cy/load (16) trucks =	3,402 cy
<b>To Date Phase IV estimated cumulative waste placed =</b>	<b>55,296 cy</b>
<b>Phase V</b>	
Previous Daily Cumulative =	0 cy
Operations layer placed (completed) for liner certification. = ?	0 cy
Daily Day shift waste placed today: From ?? (0) loads @ 18 cy/load (0) trucks =	0 cy
Daily Night shift waste placed today: (0) loads @ 18cy/load (0) trucks =	0 cy
<b>To Date Phase V estimated cumulative waste placed =</b>	<b>0 cy</b>

Cumulative Total To Date All Phases =	Estimated Waste at	
	Completion	% Complete
	(cy) 2,050,000	77.6%

**Geosynthetics Placed**

	Previous	Placed	Cumulative Placed
<b>Phase I (complete)</b>			
GCL	307,372	0	307,372
Geomembrane	307,372	0	307,372
Geocomposite	307,372	0	307,372
Geotextile	69,340	0	69,340
<b>Phase II (complete)</b>			
GCL	498,468	0	498,468
Geomembrane	498,468	0	498,468
Geocomposite	520,592	0	520,592
Geotextile	0	0	0
<b>Phase IIIA</b>			
GCL	221,000	0	221,000
Geomembrane	221,000	0	221,000
Geocomposite	221,000	0	221,000
Geotextile	20,000	0	20,000
<b>Phase IIIB</b>			
GCL	340,535	0	340,535
Geomembrane	340,535	0	340,535
Geocomposite	340,535	0	340,535
Geotextile	50,000	0	50,000
<b>Phase IV</b>			
GCL	459,942	0	459,942
Geomembrane	459,942	0	459,942
Geocomposite	459,952	0	459,952
Geotextile	12,390	0	12,390
<b>Phase V</b>			
GCL	160,000	0	160,000
Geomembrane	160,000	0	160,000
Geocomposite	0	0	0
Geotextile	0	0	0

## DAILY PRODUCTION & QUALITY CONTROL REPORT

Project No./Contract No.	Project Title / Location	Day of Report	Report No.
6389	BRC Eastside Common Areas Soils Remediation	16-Aug-09	397

**BMI North**

GCL	1,111,468	0	1,111,468
Geomembrane	1,111,468	0	1,111,468
Geocomposite	1,111,468	0	1,111,468

**BMI South**

GCL	177,000	0	177,000
Geomembrane	177,000	0	177,000
Geocomposite	177,000	0	177,000

**Debris Storage Area (complete)**

Geomembrane	12,000	0	12,000
-------------	--------	---	--------

**CAMU Cover**  
CCI

GCL	0	0	0
Geomembrane	0	0	0
Geocomposite	0	0	0

		Total Geosynthetics for CAMU Basic Scope (\$f)	% Complete of Basic Scope	Total Geosynthetics for CAMU Basic Scope +Option Scope	% Complete of Basic Scope + Option Scope
Geosynthetic System Cumulative Total To Date All CAMU Phases	3,275,785	4,151,232	78.9%	6,534,075	50.1%

## HEALTH & SAFETY

Description of Health &amp; Safety Actions Taken Today / Safety Inspections Conducted

**Safety Topic:**

Eastside Day: No Work..

Day: No Work.

CAMU & Eastside: Discussed Radio usage.

CAMU

Night shift

## CONSTRUCTION QUALITY ASSURANCE & QUALITY CONTROL

Description of Quality Control Actions Taken Today / Quality Inspections Conducted

**Daily CQA Summary.**

Monitor waste placement into the CAMU of eastside material on the night shift.

### ISSUES AND/OR ITEMS OF DISCUSSION

Discussion of Issues / Concerns / Conversations / Topics

## SITE VISITORS

[illegible]

Report Prepared By / Title

**Richard Laubinger, Construction Manager**

Date Prepared

16-Aug-09

Signature \_\_\_\_\_

### Weather Table

Sunny/Clear	☀
Sunny / Partly Cloudy	☂
Cloudy / Partly Sunny	☁
Cloudy	☁
Overcast	☁
Light Rain	☔
Rain	☔
Thunderstorms	⚡
Snow	❄

Basic Remediation Company

875 West Warm Springs Road  
Henderson, Nevada 89011

DAILY PRODUCTION & QUALITY CONTROL REPORT

Project No./Contract No.	Project Title / Location	Day of Report	Report No.
6389 0	BRC Eastside Common Areas Soils Remediation 0	16-Aug-09	397

DAILY PHOTO LOG

Photo 1

3.5-Inch Width or 2.63-Inch Height

Night Shift: No Pictures.

Photo 2

3.5-Inch Width or 2.63-Inch Height

Photo 3

3.5-Inch Width or 2.63-Inch Height

Photo 4

3.5-Inch Width or 2.63-Inch Height